



- NOTES:**
1. ALL ELECTRICAL SHALL MEET WASHINGTON STATE ELECTRIC CODES.
 2. GRINDER PUMP AND TANK SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS.
 3. TYPE 1 MANHOLES SHALL BE FOR COMMERCIAL USE ONLY. SEE STANDARD PLANS 4-1 AND 4-2. THE BASE OF THE MANHOLE SHALL BE SLOPED AS SHOWN IN THE "SIDE VIEW" ABOVE.
 4. CLEAN OUT SHALL BE INSTALLED PER STANDARD PLANS 4-7 AND 4-8.
 5. FOUNDATION AND WALLS SHALL BE DESIGNED FOR SITE CONDITIONS.
 6. SEE SECTION 4.8.C OF THE CITY OF KENT DEVELOPMENT STANDARDS FOR PRESSURE TEST REQUIREMENTS.
 7. STRUCTURE MAY NOT BE ALLOWED WITHIN BSBL. RECOMMEND NOT USED IN 100 YR FLOOD PLAIN.



NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DUPLICATE. THE ORIGINAL, SIGNED BY THE ENGINEER AND APPROVED FOR PUBLICATION IS KEPT ON FILE AT THE CITY OF KENT. A COPY MAY BE OBTAINED UPON REQUEST.

		CITY OF KENT ENGINEERING DEPARTMENT	
		LOW PRESSURE GRINDER PUMP	
DESIGNED	COK	SCALE	NONE
DRAWN	COK	DATE	9/2020
CHECKED	COK	ENGINEER	
APPROVED		4-10	