



METAL PIPE

NOTES:

1. SIDE SLOPE SHALL BE WARPED TO MATCH THE BEVELED PIPE END. WHEN CULVERT IS ON SKEW, BEVELED END SHALL BE ROTATED TO CONFORM TO SLOPE. IF SLOPE DIFFERS FROM 3:1, PIPE SHALL BE BEVELED TO MATCH SLOPE.
2. BEVELED END PIPE SHALL BE PRECAST CONCRETE PIPE OR DUCTILE IRON ONLY. THE PIPE TYPE SHALL BE CONSISTENT THE ENTIRE LENGTH OF ANY REQUIRED CULVERT OR TO THE NEAREST STRUCTURE PRIOR TO THE BEVELED OUTFALL.




PLAN



ELEVATION

CONCRETE PIPE



NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DUPLICATE. THE ORIGINAL, SIGNED BY THE ENGINEER AND APPROVED FOR PUBLICATION IS KEPT ON FILE AT THE CITY OF KENT. A COPY MAY BE OBTAINED UPON REQUEST.

		CITY OF KENT ENGINEERING DEPARTMENT	
		BEVELED END PIPE SECTION	
DESIGNED COK	SCALE NONE	STANDARD PLAN	
DRAWN COK	DATE 12/2021	5-19	
CHECKED COK	ENGINEER		
APPROVED <i>Chad Bierle</i>			