


NOTES:

1. PROVIDE EXPANSION AND CONTRACTION JOINTS PER STD PLAN 6-35, 7-19.2, OR WHERE SHOWN ON PLANS AND DETAILS.
2. COLORED CEMENT CONCRETE BAND TO MATCH CROSS AND LONGITUDINAL SLOPE OF CONCRETE SIDEWALK AND/OR ADJACENT PAVER.
3. ALL SIDEWALK SURFACE TREATMENTS SHALL BE ADA COMPLIANT.
4. COLORED CEMENT CONCRETE BAND LAYOUTS ON SOUTH SIDE OF STREETScape TYPE A & B PER STD PLAN 7-13.
5. COLORED CEMENT CONCRETE BANDS LAYOUTS ON STREETScape TYPE C AND NORTH SIDE LAYOUTS PER STD PLAN 7-14.
6. DRY SHAKE COLOR HARDENER FOR COLORED CEMENT CONCRETE BAND SHALL BE EMERCHROME "SMOKE BEIGE" #4948 BY L.M. SCOFIELD COMPANY, OR APPROVED EQUAL. APPLY PER MANUFACTURER'S GUIDELINES.
7. 10' LONG COLORED CEMENT CONCRETE BAND, ALIGN WITH ADJACENT 2'x2' SCORED CEMENT CONCRETE AND PLANTER EDGE.

SCORED CEMENT CONCRETE SIDEWALK, TYP (4" CLASS 3000)

SCORE JOINT, SEE STD PLAN 7-19




COLORED CEMENT CONCRETE BAND, TYP. SEE STD PLAN 7-18

COLORED CEMENT CONCRETE BAND SCORING LAYOUT PLAN

COLORED CEMENT CONCRETE BAND - SEE NOTE 6

SCORE JOINT, SEE STD PLAN 7-19

SCORED CEMENT CONCRETE SIDEWALK, SEE STD PLAN 7-19



CONTRACTION/CONTROL JOINT IF ADJACENT PANEL IS CONCRETE, SEE STD PLAN 7-19.2

HEXAGON PAVERS, SEE STD PLAN 7-17, LINEAR ACCENT PAVER BAND, SEE STD PLAN 7-16), OR SCORED CEMENT CONCRETE SIDEWALK


4" DEPTH CONCRETE RAT SLAB REQ'D UNDER HEXAGON AND LINEAR ACCENT PAVERS

SECTION

4" CSBC



NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DUPLICATE. THE ORIGINAL, SIGNED BY THE ENGINEER AND APPROVED FOR PUBLICATION IS KEPT ON FILE AT THE CITY OF KENT. A COPY MAY BE OBTAINED UPON REQUEST.

		CITY OF KENT ENGINEERING DEPARTMENT		
		MEEKER STREET COLORED CEMENT CONCRETE BAND DETAIL		
DESIGNED	COK	SCALE	NONE	STANDARD PLAN
DRAWN	COK	DATE	8/2020	7-18
CHECKED	COK	ENGINEER		
APPROVED				